## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of		)	Attorney Docket No.: SUGI0167
		)	Confirmation No.: 9075
Tadahiro OHMI et al.		)	
		)	Group Art Unit: 3753
Serial No.: 10/597,303		)	
		)	Examiner: Jeremy S. BASKIN
Filed:	September 24, 2008	)	
		)	
For:	VACUUM THERMAL INSULATING	)	Date: November 6, 2009
	VALVE	)	

## **TELEPHONE INTERVIEW SUMMARY (B)**

MAIL STOP: ISSUE FEE

United States Patent and Trademark Office Customer Service Window Randolph Building 401 Dulany Street Alexandria, VA 22314

Sir:

In view of the telephone interview conducted between Examiner Jeremy Baskin (571-270-7421) and Applicants' attorney, Wesley Ashton, on November 5, 2009, please enter the following remarks in the application identified above in accordance with MPEP § 713.04:

Remarks/Arguments begin on page 2 of this paper.

Patent Application Serial No. 10/597,303 Attorney Docket No. **SUGI0167** 

## **REMARKS**

Applicants' attorney, Wesley Ashton, contacted Examiner Jeremy Baskin (571-270-7421) by telephone on November 5, 2009 to discuss the above-captioned application, which has been allowed on the first Office Action mailed October 16, 2009. Applicants' attorney explained to the Examiner that Applicants would like the Examiner to consider JP 61-262295, which is cited in ¶ [0023] of Applicants' specification as originally filed. Examiner Baskin informed Applicants' attorney that he may have already considered this document without citing it formally as a reference. Examiner Baskin, therefore, agreed to consider JP 61-262295 after allowance if Applicants submit a copy of JP 61-262295 with a proper Information Disclosure Statement (IDS) and pay the appropriate USPTO fees.

The below-signed attorney for Applicants welcomes any questions.

Respectfully submitted,

GRIFFIN & SZIPL, P.C.

Joerg-Uwe Szipl

Registration No. 31,799

GRIFFIN & SZIPL, P.C. Suite PH-1 2300 Ninth Street, South Arlington, VA 22204

Telephone: (703) 979-5700 Facsimile: (703) 979-7429 Email: GandS@szipl.com

Customer No.: 24203